

RECORD OF COMMUNICATION

☒ PHONE CALL
 ☐ DISCUSSION
 ☐ FIELD TRIP
 ☐ CONFERENCE
☐ OTHER (SPECIFY)

(Record of item checked above)

TO: Karen Flournoy

FROM: Dave Trombold
Reid Supply
returning my call

DATE 3-3-83
TIME

SUBJECT

Feed Tanks Prior to Still

SUMMARY OF COMMUNICATION

(At the 2-24-83 mtg. w/ Reid Supply they ask if the feed tanks prior to the still would have to be permitted. I talked w/ Steve Busch, PMTS, & he said that if the tanks were for equalization or flow control prior to the still we would permit as storage tanks)

Advised John Groetz, KDHE of this on 3-3-83 he said OK.

I advised Mr. Trombold that the feed tanks would need to be included in the Part B. I told him that if he could not get all the info. on the feed tanks together by the due date to either send in all info. he had or request a time extension in writing. I told him that it was important to request an extension to avoid possible

CONCLUSIONS, ACTION TAKEN OR REQUIRED

enfr. action if he did need an extension. We also discussed the compl. schedule & I emphasized that he should not begin constr. until EPA & KDHE approve what they're going to do

INFORMATION COPIES

TO:

